

H1

Dane do obliczeń : Ferma drobiu Nowe Mosty 3 - pora dzienna

Źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
1	598.4	279.6	1.0	76.2	EP1
2	637.6	301.2	1.0	76.2	EP2
3	681.6	302.0	1.0	76.2	EP3
4	727.2	307.6	1.0	76.2	EP4
5	770.4	310.8	1.0	76.2	EP5
6	818.4	314.8	1.0	76.2	EP6
7	862.4	327.6	1.0	78.0	EP7
8	865.6	331.6	1.0	68.0	EP8
9	869.6	326.8	1.0	79.7	EP9
10	865.6	326.0	1.0	75.2	EP10
11	1135.2	320.4	1.0	73.2	EP11
12	1132.8	358.8	1.0	73.2	EP12
13	1128.0	403.6	1.0	73.2	EP13
14	1128.0	446.0	1.0	73.2	EP14
15	1120.0	497.2	1.0	73.2	EP15
16	1082.4	498.0	1.0	73.2	EP16
17	1037.6	495.6	1.0	73.2	EP17
18	992.0	490.0	1.0	73.2	EP18
19	967.2	488.4	1.0	73.2	EP19
20	941.6	484.4	1.0	65.0	EP20
21	941.6	477.2	1.0	75.0	EP21
22	946.4	482.0	1.0	72.2	EP22
23	1136.0	308.4	1.0	71.4	EP23
24	1091.2	328.4	1.0	71.4	EP24
25	1046.4	326.8	1.0	71.4	EP25
26	1000.0	326.8	1.0	71.4	EP26
27	953.6	332.4	1.0	73.2	EP27
28	957.6	337.2	1.0	63.2	EP28
29	958.4	331.6	1.0	70.2	EP29
30	959.2	335.6	1.0	70.4	EP30
31	599.2	269.2	1.0	76.2	EP31
32	609.6	298.8	1.0	76.2	EP32
33	661.6	308.4	1.0	68.0	EP33
34	666.4	306.8	1.0	78.0	EP34
35	662.4	305.2	1.0	75.2	EP35
36	1126.4	332.4	1.0	73.2	EP36
37	1068.0	328.4	1.0	73.2	EP37
38	1021.6	326.0	1.0	73.2	EP38
39	977.6	324.4	1.0	73.2	EP39
40	956.0	311.6	1.0	65.0	EP40
41	962.4	307.6	1.0	75.0	EP41
42	962.4	311.6	1.0	72.2	EP42
43	609.9	331.0	7.5	83.0	E-1
44	608.0	362.3	7.5	83.0	E-2
45	606.4	402.6	7.5	83.0	E-3
46	603.8	434.3	7.5	83.0	E-4
47	611.2	319.4	7.5	88.0	E-5

48	608.6	347.0	7.5	90.0	E-6
49	607.4	374.5	7.5	88.0	E-7
50	606.1	390.5	7.5	88.0	E-8
51	605.4	418.3	7.5	90.0	E-9
52	602.2	446.2	7.5	88.0	E-10
53	594.9	454.8	2.0	89.0	E-11
54	598.6	455.3	2.0	89.0	E-12
55	606.4	455.6	2.0	89.0	E-13
56	610.0	455.6	2.0	89.0	E-14
57	655.4	333.5	7.5	83.0	E-15
58	653.7	365.7	7.5	83.0	E-16
59	652.3	405.5	7.5	83.0	E-17
60	649.8	437.1	7.5	83.0	E-18
61	656.5	321.8	7.5	88.0	E-19
62	654.6	350.0	7.5	90.0	E-20
63	653.2	377.5	7.5	88.0	E-21
64	652.3	393.7	7.5	88.0	E-22
65	650.9	421.2	7.5	90.0	E-23
66	648.1	449.7	7.5	88.0	E-24
67	640.8	457.6	2.0	89.0	E-25
68	644.5	457.8	2.0	89.0	E-26
69	652.3	458.4	2.0	89.0	E-27
70	656.5	459.0	2.0	89.0	E-28
71	701.0	337.2	7.5	83.0	E-29
72	698.8	369.1	7.5	83.0	E-30
73	697.4	408.8	7.5	83.0	E-31
74	695.4	440.8	7.5	83.0	E-32
75	702.4	325.7	7.5	88.0	E-33
76	700.2	353.4	7.5	90.0	E-34
77	698.5	381.4	7.5	88.0	E-35
78	697.4	397.4	7.5	88.0	E-36
79	696.3	424.5	7.5	90.0	E-37
80	694.6	453.4	7.5	88.0	E-38
81	686.5	461.2	2.0	89.0	E-39
82	690.1	461.8	2.0	89.0	E-40
83	697.4	462.6	2.0	89.0	E-41
84	701.9	462.6	2.0	89.0	E-42
85	747.0	340.2	7.5	83.0	E-43
86	744.7	372.4	7.5	83.0	E-44
87	743.6	412.2	7.5	83.0	E-45
88	741.4	444.1	7.5	83.0	E-46
89	747.8	329.0	7.5	88.0	E-47
90	745.8	356.5	7.5	90.0	E-48
91	744.7	384.8	7.5	88.0	E-49
92	743.6	400.4	7.5	88.0	E-50
93	742.8	428.2	7.5	90.0	E-51
94	739.7	455.9	7.5	88.0	E-52
95	732.1	464.6	2.0	89.0	E-53
96	735.5	464.8	2.0	89.0	E-54
97	743.9	465.4	2.0	89.0	E-55
98	747.2	466.0	2.0	89.0	E-56
99	793.4	343.6	7.5	83.0	E-57
100	791.5	375.2	7.5	83.0	E-58
101	789.5	415.0	7.5	83.0	E-59

102	787.8	446.6	7.5	83.0	E-60
103	795.4	332.4	7.5	88.0	E-61
104	792.6	359.8	7.5	90.0	E-62
105	790.9	387.6	7.5	88.0	E-63
106	789.5	403.2	7.5	88.0	E-64
107	788.7	430.7	7.5	90.0	E-65
108	786.2	459.2	7.5	88.0	E-66
109	778.6	467.9	2.0	89.0	E-67
110	782.2	467.9	2.0	89.0	E-68
111	789.8	468.8	2.0	89.0	E-69
112	793.7	468.5	2.0	89.0	E-70
113	839.1	346.4	7.5	83.0	E-71
114	836.8	377.8	7.5	83.0	E-72
115	835.2	417.8	7.5	83.0	E-73
116	832.6	449.2	7.5	83.0	E-74
117	840.2	334.1	7.5	88.0	E-75
118	838.0	362.1	7.5	90.0	E-76
119	836.3	390.1	7.5	88.0	E-77
120	834.9	406.0	7.5	88.0	E-78
121	834.3	433.2	7.5	90.0	E-79
122	831.8	462.0	7.5	88.0	E-80
123	824.0	470.2	2.0	89.0	E-81
124	827.9	470.4	2.0	89.0	E-82
125	835.4	471.0	2.0	89.0	E-83
126	839.4	471.3	2.0	89.0	E-84
127	884.7	349.8	7.5	83.0	E-85
128	883.0	381.7	7.5	83.0	E-86
129	880.8	421.4	7.5	83.0	E-87
130	879.1	453.4	7.5	83.0	E-88
131	886.4	338.0	7.5	88.0	E-89
132	883.9	366.0	7.5	90.0	E-90
133	882.2	394.0	7.5	88.0	E-91
134	880.8	410.0	7.5	88.0	E-92
135	880.0	436.8	7.5	90.0	E-93
136	878.0	466.0	7.5	88.0	E-94
137	870.2	473.8	2.0	89.0	E-95
138	874.1	474.1	2.0	89.0	E-96
139	881.6	474.6	2.0	89.0	E-97
140	885.6	474.6	2.0	89.0	E-98
141	931.5	352.6	7.5	83.0	E-99
142	929.0	384.8	7.5	83.0	E-100
143	927.8	424.0	7.5	83.0	E-101
144	925.3	455.9	7.5	83.0	E-102
145	932.6	340.8	7.5	88.0	E-103
146	930.1	368.8	7.5	90.0	E-104
147	928.4	396.8	7.5	88.0	E-105
148	927.3	412.2	7.5	88.0	E-106
149	926.4	440.2	7.5	90.0	E-107
150	923.9	468.5	7.5	88.0	E-108
151	916.1	476.9	2.0	89.0	E-109
152	920.0	477.2	2.0	89.0	E-110
153	927.6	477.7	2.0	89.0	E-111
154	931.5	477.7	2.0	89.0	E-112
155	977.1	355.6	7.5	83.0	E-113

156	974.9	387.8	7.5	83.0	E-114
157	973.5	427.9	7.5	83.0	E-115
158	971.2	459.2	7.5	83.0	E-116
159	978.0	344.4	7.5	88.0	E-117
160	976.3	371.9	7.5	90.0	E-118
161	974.3	399.9	7.5	88.0	E-119
162	973.2	415.8	7.5	88.0	E-120
163	972.6	443.0	7.5	90.0	E-121
164	969.8	471.8	7.5	88.0	E-122
165	962.3	480.0	2.0	89.0	E-123
166	965.4	480.5	2.0	89.0	E-124
167	973.5	481.1	2.0	89.0	E-125
168	977.4	481.1	2.0	89.0	E-126
169	1023.0	358.7	7.5	83.0	E-127
170	1020.8	391.2	7.5	83.0	E-128
171	1019.1	431.2	7.5	83.0	E-129
172	1017.2	462.3	7.5	83.0	E-130
173	1023.9	347.2	7.5	88.0	E-131
174	1021.6	375.2	7.5	90.0	E-132
175	1020.0	403.2	7.5	88.0	E-133
176	1019.1	418.6	7.5	88.0	E-134
177	1018.0	446.6	7.5	90.0	E-135
178	1015.2	475.2	7.5	88.0	E-136
179	1007.6	483.3	2.0	89.0	E-137
180	1011.3	483.6	2.0	89.0	E-138
181	1019.1	484.2	2.0	89.0	E-139
182	1023.3	484.7	2.0	89.0	E-140
183	1068.7	362.1	7.5	83.0	E-141
184	1066.4	394.0	7.5	83.0	E-142
185	1064.8	433.5	7.5	83.0	E-143
186	1063.4	465.7	7.5	83.0	E-144
187	1069.5	350.6	7.5	88.0	E-145
188	1067.6	378.0	7.5	90.0	E-146
189	1066.2	406.6	7.5	88.0	E-147
190	1065.3	421.7	7.5	88.0	E-148
191	1064.2	449.7	7.5	90.0	E-149
192	1061.4	478.0	7.5	88.0	E-150
193	1053.6	486.4	2.0	89.0	E-151
194	1057.5	486.4	2.0	89.0	E-152
195	1065.3	486.7	2.0	89.0	E-153
196	1069.5	487.0	2.0	89.0	E-154
197	1114.6	365.7	7.5	83.0	E-155
198	1112.9	397.1	7.5	83.0	E-156
199	1110.7	436.6	7.5	83.0	E-157
200	1109.0	468.8	7.5	83.0	E-158
201	1115.7	353.7	7.5	88.0	E-159
202	1113.5	381.7	7.5	90.0	E-160
203	1112.4	409.7	7.5	88.0	E-161
204	1111.0	425.9	7.5	88.0	E-162
205	1109.8	453.4	7.5	90.0	E-163
206	1107.0	481.1	7.5	88.0	E-164
207	1099.5	489.8	2.0	89.0	E-165
208	1103.1	489.8	2.0	89.0	E-166
209	1111.2	490.6	2.0	89.0	E-167

210 1114.9 490.6 2.0 89.0 E-168

=====

Źródła typu hala produkcyjna :

WSPÓRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	591.6	453.9	601.1	310.3	622.6	311.4	612.6	455.0	0.0	6.8
2	637.5	456.7	647.3	313.1	668.6	314.5	658.5	458.1	0.0	6.8
3	683.1	460.4	692.4	317.6	713.9	318.4	704.1	461.5	0.0	6.8
4	729.0	463.7	738.8	320.1	759.8	321.5	750.0	465.1	0.0	6.8
5	775.2	466.5	785.0	322.9	806.3	324.3	796.5	467.9	0.0	6.8
6	820.6	469.0	830.4	326.0	851.7	327.1	842.2	470.4	0.0	6.8
7	866.8	472.7	876.6	329.3	897.9	330.7	887.8	474.1	0.0	6.8
8	913.0	475.8	922.5	332.1	944.1	333.8	934.3	477.2	0.0	6.8
9	958.9	479.1	968.7	335.5	989.7	336.9	979.6	480.5	0.0	6.8
10	1004.3	482.2	1014.6	338.6	1035.6	340.0	1025.8	483.3	0.0	6.8
11	1050.8	485.0	1060.6	341.6	1081.6	343.3	1071.8	486.4	0.0	6.8
12	1096.4	488.6	1106.2	345.3	1127.5	346.7	1118.0	490.0	0.0	6.8
13	730.4	297.7	735.5	298.0	736.0	296.6	730.2	296.0	0.0	2.5
14	1011.8	317.3	1016.6	317.6	1016.9	315.9	1012.1	315.3	0.0	2.5

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
=====											
1	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====											
Nr źródła											
=====											
2	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====											
Nr źródła											
=====											
3	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
=====											
4	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
=====											
5	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
=====											
6	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
=====											
7	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====  
 Nr źródła                    A    63    125    250    500    1000    2000    4000    8000    wsp.odb.  
 =====

8	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====  
 Nr źródła                    A    63    125    250    500    1000    2000    4000    8000    wsp.odb.  
 =====

9	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====  
 Nr źródła                    A    63    125    250    500    1000    2000    4000    8000    wsp.odb.  
 =====

10	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====  
 Nr źródła                    A    63    125    250    500    1000    2000    4000    8000    wsp.odb.  
 =====

11	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
12	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
13	sc.1	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
14	sc.1	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====

Ekranu akustyczne :

WSPÓLRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
=====										
1	613.1	294.8	649.6	297.0	650.6	286.8	614.1	284.6	0.0	5.0
2	613.4	310.6	622.6	310.8	622.9	306.1	613.7	305.5	0.0	3.5
3	647.6	313.1	656.2	313.9	656.8	308.6	647.8	307.8	0.0	3.5
4	692.9	317.0	702.2	317.3	702.7	311.7	693.8	310.8	0.0	3.5
5	739.4	320.1	748.4	320.4	748.9	314.8	739.7	314.2	0.0	3.5



6	785.0	322.9	794.0	323.4	794.6	317.8	785.0	317.6	0.0	3.5
7	831.2	325.7	839.6	326.2	840.8	320.9	831.5	320.6	0.0	3.5
8	876.9	329.3	886.1	329.6	886.4	324.3	877.2	323.7	0.0	3.5
9	923.1	331.8	931.5	332.1	932.6	327.6	923.4	326.8	0.0	3.5
10	968.7	335.2	977.4	335.8	978.0	330.7	969.0	330.2	0.0	3.5
11	1014.6	338.3	1023.6	338.8	1023.9	333.8	1014.9	333.2	0.0	3.5
12	1061.1	341.4	1069.5	341.9	1070.1	337.2	1060.8	336.6	0.0	3.5
13	1106.5	345.0	1114.9	345.6	1115.2	340.5	1106.2	339.7	0.0	3.5

WSPÓŁCZYNNIKI ODBICIA DLA ŚCIAN

Nr	ściana 1	ściana 2	ściana 3	ściana 4	dach
1	1.0000	1.0000	1.0000	1.0000	1.0000
2	1.0000	1.0000	1.0000	1.0000	1.0000
3	1.0000	1.0000	1.0000	1.0000	1.0000
4	1.0000	1.0000	1.0000	1.0000	1.0000
5	1.0000	1.0000	1.0000	1.0000	1.0000
6	1.0000	1.0000	1.0000	1.0000	1.0000
7	1.0000	1.0000	1.0000	1.0000	1.0000
8	1.0000	1.0000	1.0000	1.0000	1.0000
9	1.0000	1.0000	1.0000	1.0000	1.0000
10	1.0000	1.0000	1.0000	1.0000	1.0000
11	1.0000	1.0000	1.0000	1.0000	1.0000
12	1.0000	1.0000	1.0000	1.0000	1.0000
13	1.0000	1.0000	1.0000	1.0000	1.0000