

H4

Dane do obliczeń : Ferma drobiu Nowe Mosty 3 - pora nocy

Źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
1	599.2	269.2	1.0	82.2	EP31
2	609.6	298.8	1.0	82.2	EP32
3	661.6	308.4	1.0	74.0	EP33
4	666.4	306.8	1.0	84.0	EP34
5	662.4	305.2	1.0	81.2	EP35
6	609.9	331.0	7.5	83.0	E-1
7	608.0	362.3	7.5	83.0	E-2
8	606.4	402.6	7.5	83.0	E-3
9	603.8	434.3	7.5	83.0	E-4
10	611.2	319.4	7.5	88.0	E-5
11	608.6	347.0	7.5	90.0	E-6
12	607.4	374.5	7.5	88.0	E-7
13	606.1	390.5	7.5	88.0	E-8
14	605.4	418.3	7.5	90.0	E-9
15	602.2	446.2	7.5	88.0	E-10
16	655.4	333.5	7.5	83.0	E-15
17	653.7	365.7	7.5	83.0	E-16
18	652.3	405.5	7.5	83.0	E-17
19	649.8	437.1	7.5	83.0	E-18
20	656.5	321.8	7.5	88.0	E-19
21	654.6	350.0	7.5	90.0	E-20
22	653.2	377.5	7.5	88.0	E-21
23	652.3	393.7	7.5	88.0	E-22
24	650.9	421.2	7.5	90.0	E-23
25	648.1	449.7	7.5	88.0	E-24
26	701.0	337.2	7.5	83.0	E-29
27	698.8	369.1	7.5	83.0	E-30
28	697.4	408.8	7.5	83.0	E-31
29	695.4	440.8	7.5	83.0	E-32
30	702.4	325.7	7.5	88.0	E-33
31	700.2	353.4	7.5	90.0	E-34
32	698.5	381.4	7.5	88.0	E-35
33	697.4	397.4	7.5	88.0	E-36
34	696.3	424.5	7.5	90.0	E-37
35	694.6	453.4	7.5	88.0	E-38
36	747.0	340.2	7.5	83.0	E-43
37	744.7	372.4	7.5	83.0	E-44
38	743.6	412.2	7.5	83.0	E-45
39	741.4	444.1	7.5	83.0	E-46
40	747.8	329.0	7.5	88.0	E-47
41	745.8	356.5	7.5	90.0	E-48
42	744.7	384.8	7.5	88.0	E-49
43	743.6	400.4	7.5	88.0	E-50
44	742.8	428.2	7.5	90.0	E-51
45	739.7	455.9	7.5	88.0	E-52
46	793.4	343.6	7.5	83.0	E-57
47	791.5	375.2	7.5	83.0	E-58

48	789.5	415.0	7.5	83.0	E-59
49	787.8	446.6	7.5	83.0	E-60
50	795.4	332.4	7.5	88.0	E-61
51	792.6	359.8	7.5	90.0	E-62
52	790.9	387.6	7.5	88.0	E-63
53	789.5	403.2	7.5	88.0	E-64
54	788.7	430.7	7.5	90.0	E-65
55	786.2	459.2	7.5	88.0	E-66
56	839.1	346.4	7.5	83.0	E-71
57	836.8	377.8	7.5	83.0	E-72
58	835.2	417.8	7.5	83.0	E-73
59	832.6	449.2	7.5	83.0	E-74
60	840.2	334.1	7.5	88.0	E-75
61	838.0	362.1	7.5	90.0	E-76
62	836.3	390.1	7.5	88.0	E-77
63	834.9	406.0	7.5	88.0	E-78
64	834.3	433.2	7.5	90.0	E-79
65	831.8	462.0	7.5	88.0	E-80
66	884.7	349.8	7.5	83.0	E-85
67	883.0	381.7	7.5	83.0	E-86
68	880.8	421.4	7.5	83.0	E-87
69	879.1	453.4	7.5	83.0	E-88
70	886.4	338.0	7.5	88.0	E-89
71	883.9	366.0	7.5	90.0	E-90
72	882.2	394.0	7.5	88.0	E-91
73	880.8	410.0	7.5	88.0	E-92
74	880.0	436.8	7.5	90.0	E-93
75	878.0	466.0	7.5	88.0	E-94
76	931.5	352.6	7.5	83.0	E-99
77	929.0	384.8	7.5	83.0	E-100
78	927.8	424.0	7.5	83.0	E-101
79	925.3	455.9	7.5	83.0	E-102
80	932.6	340.8	7.5	88.0	E-103
81	930.1	368.8	7.5	90.0	E-104
82	928.4	396.8	7.5	88.0	E-105
83	927.3	412.2	7.5	88.0	E-106
84	926.4	440.2	7.5	90.0	E-107
85	923.9	468.5	7.5	88.0	E-108
86	977.1	355.6	7.5	83.0	E-113
87	974.9	387.8	7.5	83.0	E-114
88	973.5	427.9	7.5	83.0	E-115
89	971.2	459.2	7.5	83.0	E-116
90	978.0	344.4	7.5	88.0	E-117
91	976.3	371.9	7.5	90.0	E-118
92	974.3	399.9	7.5	88.0	E-119
93	973.2	415.8	7.5	88.0	E-120
94	972.6	443.0	7.5	90.0	E-121
95	969.8	471.8	7.5	88.0	E-122
96	1023.0	358.7	7.5	83.0	E-127
97	1020.8	391.2	7.5	83.0	E-128
98	1019.1	431.2	7.5	83.0	E-129
99	1017.2	462.3	7.5	83.0	E-130
100	1023.9	347.2	7.5	88.0	E-131
101	1021.6	375.2	7.5	90.0	E-132

102	1020.0	403.2	7.5	88.0	E-133
103	1019.1	418.6	7.5	88.0	E-134
104	1018.0	446.6	7.5	90.0	E-135
105	1015.2	475.2	7.5	88.0	E-136
106	1068.7	362.1	7.5	83.0	E-141
107	1066.4	394.0	7.5	83.0	E-142
108	1064.8	433.5	7.5	83.0	E-143
109	1063.4	465.7	7.5	83.0	E-144
110	1069.5	350.6	7.5	88.0	E-145
111	1067.6	378.0	7.5	90.0	E-146
112	1066.2	406.6	7.5	88.0	E-147
113	1065.3	421.7	7.5	88.0	E-148
114	1064.2	449.7	7.5	90.0	E-149
115	1061.4	478.0	7.5	88.0	E-150
116	1114.6	365.7	7.5	83.0	E-155
117	1112.9	397.1	7.5	83.0	E-156
118	1110.7	436.6	7.5	83.0	E-157
119	1109.0	468.8	7.5	83.0	E-158
120	1115.7	353.7	7.5	88.0	E-159
121	1113.5	381.7	7.5	90.0	E-160
122	1112.4	409.7	7.5	88.0	E-161
123	1111.0	425.9	7.5	88.0	E-162
124	1109.8	453.4	7.5	90.0	E-163
125	1107.0	481.1	7.5	88.0	E-164

=====

Źródła typu hala produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	591.6	453.9	601.1	310.3	622.6	311.4	612.6	455.0	0.0	6.8
2	637.5	456.7	647.3	313.1	668.6	314.5	658.5	458.1	0.0	6.8
3	683.1	460.4	692.4	317.6	713.9	318.4	704.1	461.5	0.0	6.8
4	729.0	463.7	738.8	320.1	759.8	321.5	750.0	465.1	0.0	6.8
5	775.2	466.5	785.0	322.9	806.3	324.3	796.5	467.9	0.0	6.8
6	820.6	469.0	830.4	326.0	851.7	327.1	842.2	470.4	0.0	6.8
7	866.8	472.7	876.6	329.3	897.9	330.7	887.8	474.1	0.0	6.8
8	913.0	475.8	922.5	332.1	944.1	333.8	934.3	477.2	0.0	6.8
9	958.9	479.1	968.7	335.5	989.7	336.9	979.6	480.5	0.0	6.8
10	1004.3	482.2	1014.6	338.6	1035.6	340.0	1025.8	483.3	0.0	6.8
11	1050.8	485.0	1060.6	341.6	1081.6	343.3	1071.8	486.4	0.0	6.8
12	1096.4	488.6	1106.2	345.3	1127.5	346.7	1118.0	490.0	0.0	6.8
13	730.4	297.7	735.5	298.0	736.0	296.6	730.2	296.0	0.0	2.5
14	1011.8	317.3	1016.6	317.6	1016.9	315.9	1012.1	315.3	0.0	2.5

=====

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr źródła	A	63	125	250	500	1000	2000	4000	8000	wsp. odb.
1	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000

	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
2	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
3	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
4	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
5	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000

	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
=====											
6	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
=====											
7	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
=====											
8	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
=====											
9	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000

		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
=====											
10	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
=====											
11	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
=====											
12	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
=====											
13	sc.1	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====											

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.	
=====												
14	sc.1	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000	
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	sc.2	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000	
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	sc.3	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000	
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	sc.4	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000	
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	dach	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000	
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
=====												

Ekranry akustyczne :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
=====										
1	613.1	294.8	649.6	297.0	650.6	286.8	614.1	284.6	0.0	5.0
2	613.4	310.6	622.6	310.8	622.9	306.1	613.7	305.5	0.0	3.5
3	647.6	313.1	656.2	313.9	656.8	308.6	647.8	307.8	0.0	3.5
4	692.9	317.0	702.2	317.3	702.7	311.7	693.8	310.8	0.0	3.5
5	739.4	320.1	748.4	320.4	748.9	314.8	739.7	314.2	0.0	3.5
6	785.0	322.9	794.0	323.4	794.6	317.8	785.0	317.6	0.0	3.5
7	831.2	325.7	839.6	326.2	840.8	320.9	831.5	320.6	0.0	3.5
8	876.9	329.3	886.1	329.6	886.4	324.3	877.2	323.7	0.0	3.5
9	923.1	331.8	931.5	332.1	932.6	327.6	923.4	326.8	0.0	3.5
10	968.7	335.2	977.4	335.8	978.0	330.7	969.0	330.2	0.0	3.5
11	1014.6	338.3	1023.6	338.8	1023.9	333.8	1014.9	333.2	0.0	3.5
12	1061.1	341.4	1069.5	341.9	1070.1	337.2	1060.8	336.6	0.0	3.5
13	1106.5	345.0	1114.9	345.6	1115.2	340.5	1106.2	339.7	0.0	3.5
=====										

WSPÓŁCZYNNIKI ODBICIA DLA ŚCIAN

Nr	ściana 1	ściana 2	ściana 3	ściana 4	dach
=====					
1	1.0000	1.0000	1.0000	1.0000	1.0000
2	1.0000	1.0000	1.0000	1.0000	1.0000
3	1.0000	1.0000	1.0000	1.0000	1.0000
4	1.0000	1.0000	1.0000	1.0000	1.0000
5	1.0000	1.0000	1.0000	1.0000	1.0000
6	1.0000	1.0000	1.0000	1.0000	1.0000
7	1.0000	1.0000	1.0000	1.0000	1.0000
8	1.0000	1.0000	1.0000	1.0000	1.0000
9	1.0000	1.0000	1.0000	1.0000	1.0000
10	1.0000	1.0000	1.0000	1.0000	1.0000
11	1.0000	1.0000	1.0000	1.0000	1.0000
12	1.0000	1.0000	1.0000	1.0000	1.0000
13	1.0000	1.0000	1.0000	1.0000	1.0000
=====					