

H1

Dane do obliczeń : Ferma drobiu Nowe Mosty 1 - pora dzienna

Źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
1	387.9	370.5	1.0	76.2	EP1
2	380.6	447.4	1.0	76.2	EP2
3	386.9	500.5	1.0	76.2	EP3
4	408.7	548.3	1.0	76.2	EP4
5	433.7	596.2	1.0	76.2	EP5
6	445.1	639.8	1.0	76.2	EP6
7	434.7	685.6	1.0	76.2	EP7
8	419.1	730.3	1.0	76.2	EP8
9	402.5	773.0	1.0	76.2	EP9
10	385.8	820.8	1.0	76.2	EP10
11	370.2	863.4	1.0	76.2	EP11
12	354.6	909.2	1.0	76.2	EP12
13	339.0	946.6	1.0	76.2	EP13
14	350.5	956.0	1.0	78.0	EP14
15	355.7	958.1	1.0	68.0	EP15
16	354.6	953.9	1.0	79.7	EP16
17	355.7	956.0	1.0	75.2	EP17
18	486.7	368.4	1.0	73.2	EP18
19	511.7	417.3	1.0	73.2	EP19
20	536.6	462.0	1.0	73.2	EP20
21	551.2	506.7	1.0	73.2	EP21
22	576.2	555.6	1.0	73.2	EP22
23	599.0	603.4	1.0	73.2	EP23
24	604.2	652.3	1.0	73.2	EP24
25	593.8	695.0	1.0	73.2	EP25
26	578.2	700.2	1.0	65.0	EP26
27	584.5	702.2	1.0	75.0	EP27
28	583.4	699.1	1.0	72.2	EP28
29	501.3	395.4	1.0	71.4	EP29
30	524.2	442.2	1.0	71.4	EP30
31	545.0	488.0	1.0	71.4	EP31
32	565.8	534.8	1.0	71.4	EP32
33	589.7	580.6	1.0	71.4	EP33
34	606.3	627.4	1.0	71.4	EP34
35	605.3	674.2	1.0	71.4	EP35
36	590.7	716.8	1.0	71.4	EP36
37	573.0	762.6	1.0	71.4	EP37
38	555.4	808.3	1.0	71.4	EP38
39	545.0	822.9	1.0	73.2	EP39
40	541.8	823.9	1.0	63.2	EP40
41	543.9	827.0	1.0	70.2	EP41
42	543.9	823.9	1.0	70.4	EP42
43	390.0	351.8	1.0	76.2	EP43
44	383.8	415.2	1.0	76.2	EP44
45	379.6	469.3	1.0	76.2	EP45
46	400.4	519.2	1.0	68.0	EP46
47	409.8	514.0	1.0	78.0	EP47

48	408.7	521.3	1.0	75.2	EP48
49	385.8	388.2	1.0	73.2	EP49
50	382.7	432.9	1.0	73.2	EP50
51	381.7	488.0	1.0	73.2	EP51
52	402.5	531.7	1.0	73.2	EP52
53	417.0	562.9	1.0	73.2	EP53
54	405.6	566.0	1.0	65.0	EP54
55	407.7	568.1	1.0	75.0	EP55
56	406.6	565.0	1.0	72.2	EP56
57	410.4	476.6	7.5	83.0	E-1
58	442.3	478.8	7.5	83.0	E-2
59	481.9	480.5	7.5	83.0	E-3
60	513.8	482.6	7.5	83.0	E-4
61	398.2	475.2	7.5	88.0	E-5
62	426.5	477.8	7.5	90.0	E-6
63	453.8	479.5	7.5	88.0	E-7
64	469.9	480.2	7.5	88.0	E-8
65	498.0	481.7	7.5	90.0	E-9
66	525.6	483.6	7.5	88.0	E-10
67	534.7	492.0	2.0	89.0	E-11
68	535.0	488.2	2.0	89.0	E-12
69	535.4	480.2	2.0	89.0	E-13
70	535.7	476.4	2.0	89.0	E-14
71	434.2	524.2	7.5	83.0	E-15
72	465.8	526.6	7.5	83.0	E-16
73	505.6	528.2	7.5	83.0	E-17
74	537.4	530.4	7.5	83.0	E-18
75	421.4	522.9	7.5	88.0	E-19
76	450.1	525.6	7.5	90.0	E-20
77	477.6	527.0	7.5	88.0	E-21
78	493.9	528.0	7.5	88.0	E-22
79	521.6	529.0	7.5	90.0	E-23
80	549.1	531.4	7.5	88.0	E-24
81	558.2	539.5	2.0	89.0	E-25
82	558.7	535.5	2.0	89.0	E-26
83	559.4	527.7	2.0	89.0	E-27
84	559.4	524.0	2.0	89.0	E-28
85	458.6	572.6	7.5	83.0	E-29
86	490.2	574.4	7.5	83.0	E-30
87	529.8	576.5	7.5	83.0	E-31
88	561.6	578.4	7.5	83.0	E-32
89	445.8	571.0	7.5	88.0	E-33
90	474.2	573.4	7.5	90.0	E-34
91	501.9	575.0	7.5	88.0	E-35
92	517.9	575.8	7.5	88.0	E-36
93	545.9	577.1	7.5	90.0	E-37
94	573.4	579.4	7.5	88.0	E-38
95	582.4	587.5	2.0	89.0	E-39
96	582.9	583.7	2.0	89.0	E-40
97	583.4	576.2	2.0	89.0	E-41
98	583.7	572.2	2.0	89.0	E-42
99	476.6	619.8	7.5	83.0	E-43
100	508.3	621.6	7.5	83.0	E-44
101	548.2	623.5	7.5	83.0	E-45

102	580.0	625.8	7.5	83.0	E-46
103	464.3	618.4	7.5	88.0	E-47
104	492.5	620.8	7.5	90.0	E-48
105	520.2	622.2	7.5	88.0	E-49
106	536.2	623.4	7.5	88.0	E-50
107	564.0	624.3	7.5	90.0	E-51
108	591.2	626.7	7.5	88.0	E-52
109	600.5	635.0	2.0	89.0	E-53
110	601.1	631.0	2.0	89.0	E-54
111	601.6	623.4	2.0	89.0	E-55
112	601.9	619.7	2.0	89.0	E-56
113	473.6	665.6	7.5	83.0	E-57
114	505.4	667.5	7.5	83.0	E-58
115	544.8	669.3	7.5	83.0	E-59
116	577.0	671.7	7.5	83.0	E-60
117	461.6	664.2	7.5	88.0	E-61
118	489.4	666.4	7.5	90.0	E-62
119	517.4	668.2	7.5	88.0	E-63
120	533.0	669.1	7.5	88.0	E-64
121	561.3	670.1	7.5	90.0	E-65
122	589.0	672.3	7.5	88.0	E-66
123	597.8	680.8	2.0	89.0	E-67
124	598.2	677.1	2.0	89.0	E-68
125	598.9	669.0	2.0	89.0	E-69
126	599.0	665.3	2.0	89.0	E-70
127	456.2	710.2	7.5	83.0	E-71
128	488.2	712.3	7.5	83.0	E-72
129	527.8	714.1	7.5	83.0	E-73
130	559.7	716.0	7.5	83.0	E-74
131	444.5	708.5	7.5	88.0	E-75
132	472.3	711.2	7.5	90.0	E-76
133	500.3	713.0	7.5	88.0	E-77
134	516.2	713.8	7.5	88.0	E-78
135	543.8	715.0	7.5	90.0	E-79
136	572.0	717.1	7.5	88.0	E-80
137	581.0	725.3	2.0	89.0	E-81
138	581.1	721.4	2.0	89.0	E-82
139	581.6	713.8	2.0	89.0	E-83
140	581.8	709.9	2.0	89.0	E-84
141	440.2	755.5	7.5	83.0	E-85
142	472.0	757.8	7.5	83.0	E-86
143	511.5	759.4	7.5	83.0	E-87
144	543.5	761.4	7.5	83.0	E-88
145	427.8	753.8	7.5	88.0	E-89
146	456.0	756.5	7.5	90.0	E-90
147	483.5	757.9	7.5	88.0	E-91
148	499.5	759.2	7.5	88.0	E-92
149	527.5	760.3	7.5	90.0	E-93
150	555.5	762.2	7.5	88.0	E-94
151	564.0	770.6	2.0	89.0	E-95
152	564.3	766.7	2.0	89.0	E-96
153	565.1	759.0	2.0	89.0	E-97
154	565.3	755.2	2.0	89.0	E-98
155	422.9	800.5	7.5	83.0	E-99

156	454.9	802.2	7.5	83.0	E-100
157	494.6	804.2	7.5	83.0	E-101
158	526.4	806.1	7.5	83.0	E-102
159	410.9	799.0	7.5	88.0	E-103
160	439.0	801.3	7.5	90.0	E-104
161	466.7	803.0	7.5	88.0	E-105
162	482.2	803.8	7.5	88.0	E-106
163	510.4	805.1	7.5	90.0	E-107
164	538.2	807.4	7.5	88.0	E-108
165	547.5	815.5	2.0	89.0	E-109
166	547.5	811.7	2.0	89.0	E-110
167	548.2	804.0	2.0	89.0	E-111
168	548.3	800.2	2.0	89.0	E-112
169	406.4	845.4	7.5	83.0	E-113
170	438.2	847.4	7.5	83.0	E-114
171	477.6	849.1	7.5	83.0	E-115
172	509.6	851.2	7.5	83.0	E-116
173	393.9	844.3	7.5	88.0	E-117
174	422.4	846.4	7.5	90.0	E-118
175	449.9	848.0	7.5	88.0	E-119
176	465.6	849.1	7.5	88.0	E-120
177	493.9	850.2	7.5	90.0	E-121
178	521.6	852.3	7.5	88.0	E-122
179	530.4	860.5	2.0	89.0	E-123
180	530.7	856.8	2.0	89.0	E-124
181	531.0	849.0	2.0	89.0	E-125
182	531.5	845.4	2.0	89.0	E-126
183	389.6	889.9	7.5	83.0	E-127
184	421.3	891.8	7.5	83.0	E-128
185	461.1	893.6	7.5	83.0	E-129
186	493.0	895.8	7.5	83.0	E-130
187	377.4	888.5	7.5	88.0	E-131
188	405.4	891.0	7.5	90.0	E-132
189	433.1	892.2	7.5	88.0	E-133
190	449.1	893.6	7.5	88.0	E-134
191	477.1	894.9	7.5	90.0	E-135
192	504.8	896.6	7.5	88.0	E-136
193	513.9	905.3	2.0	89.0	E-137
194	514.1	901.4	2.0	89.0	E-138
195	514.6	893.4	2.0	89.0	E-139
196	514.9	889.4	2.0	89.0	E-140
197	372.6	935.2	7.5	83.0	E-141
198	404.8	937.0	7.5	83.0	E-142
199	444.2	939.0	7.5	83.0	E-143
200	476.0	941.0	7.5	83.0	E-144
201	360.5	933.8	7.5	88.0	E-145
202	388.6	936.3	7.5	90.0	E-146
203	416.3	937.4	7.5	88.0	E-147
204	432.3	938.6	7.5	88.0	E-148
205	460.3	939.7	7.5	90.0	E-149
206	487.5	942.1	7.5	88.0	E-150
207	497.1	950.1	2.0	89.0	E-151
208	497.3	946.2	2.0	89.0	E-152
209	497.9	938.7	2.0	89.0	E-153

210	498.2	934.7	2.0	89.0	E-154
211	356.0	979.8	7.5	83.0	E-155
212	387.5	981.9	7.5	83.0	E-156
213	427.2	983.5	7.5	83.0	E-157
214	459.2	985.6	7.5	83.0	E-158
215	343.2	978.4	7.5	88.0	E-159
216	371.8	981.0	7.5	90.0	E-160
217	399.2	982.2	7.5	88.0	E-161
218	415.0	983.2	7.5	88.0	E-162
219	443.2	984.5	7.5	90.0	E-163
220	470.7	986.9	7.5	88.0	E-164
221	480.2	994.9	2.0	89.0	E-165
222	480.3	990.9	2.0	89.0	E-166
223	480.6	983.4	2.0	89.0	E-167
224	481.1	979.4	2.0	89.0	E-168

=====

Źródła typu hala produkcyjna :

WSPÓLRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	389.9	485.3	533.3	495.4	535.0	474.2	391.0	464.2	0.0	6.8
2	413.4	532.8	557.1	543.0	558.6	521.4	414.9	511.5	0.0	6.8
3	437.8	580.6	581.1	590.7	582.7	569.8	439.2	559.7	0.0	6.8
4	455.8	628.3	599.5	638.4	601.0	617.0	457.1	606.9	0.0	6.8
5	452.8	673.9	596.3	684.0	598.1	662.9	454.1	653.0	0.0	6.8
6	436.0	718.6	579.4	729.0	580.8	707.4	437.4	697.3	0.0	6.8
7	419.5	763.8	562.9	773.9	564.2	752.6	420.8	742.6	0.0	6.8
8	402.4	808.6	546.1	818.7	547.5	797.6	403.8	787.5	0.0	6.8
9	386.1	853.6	529.0	863.8	530.7	842.4	387.2	832.6	0.0	6.8
10	369.0	898.6	512.3	908.5	513.9	887.4	370.6	877.1	0.0	6.8
11	352.2	943.4	495.7	953.4	497.4	932.2	353.4	922.4	0.0	6.8
12	335.2	988.5	478.9	998.1	480.2	977.0	336.5	966.9	0.0	6.8
13	341.5	899.8	343.0	895.2	344.6	895.7	343.2	900.0	0.0	2.5
14	427.2	609.6	424.3	604.8	426.0	603.8	428.9	608.9	0.0	2.5

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
1	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	
2	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000

	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
3	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
4	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
5	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
6	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000

	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====  
 Nr źródła                    A    63    125    250    500    1000    2000    4000    8000    wsp.odb.  
 =====

7	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====  
 Nr źródła                    A    63    125    250    500    1000    2000    4000    8000    wsp.odb.  
 =====

8	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====  
 Nr źródła                    A    63    125    250    500    1000    2000    4000    8000    wsp.odb.  
 =====

9	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====  
 Nr źródła                    A    63    125    250    500    1000    2000    4000    8000    wsp.odb.  
 =====

10	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000

	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
-----------	--	---	----	-----	-----	-----	------	------	------	------	----------

11	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
-----------	--	---	----	-----	-----	-----	------	------	------	------	----------

12	sc.1	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	75.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
-----------	--	---	----	-----	-----	-----	------	------	------	------	----------

13	sc.1	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
-----------	--	---	----	-----	-----	-----	------	------	------	------	----------

14	sc.1	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000

	R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

Ekranry akustyczne :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	387.4	444.0	390.2	408.2	399.8	408.5	397.6	445.0	0.0	5.0
2	389.8	485.4	390.6	476.3	385.0	476.2	384.6	484.8	0.0	3.5
3	413.6	532.8	414.2	524.0	409.0	523.8	408.5	532.6	0.0	3.5
4	437.6	580.8	438.4	572.0	433.0	571.7	432.2	580.3	0.0	3.5
5	455.8	628.3	456.3	619.2	451.2	618.9	450.9	627.8	0.0	3.5
6	447.8	673.8	452.8	673.9	453.3	665.1	448.0	664.6	0.0	3.5
7	436.2	718.6	436.3	709.9	431.2	709.6	430.9	718.2	0.0	3.5
8	419.4	763.8	420.0	755.2	414.7	754.6	414.4	763.2	0.0	3.5
9	402.6	808.6	403.0	799.8	397.8	799.4	397.1	808.3	0.0	3.5
10	386.2	854.1	386.6	845.0	381.0	844.6	380.8	853.6	0.0	3.5
11	369.0	898.4	369.4	889.4	364.2	889.4	364.0	898.1	0.0	3.5
12	352.0	943.5	352.6	934.4	347.4	934.1	346.9	942.9	0.0	3.5
13	334.9	988.3	335.7	979.0	330.6	979.2	330.1	988.0	0.0	3.5

WSPÓŁCZYNNIKI ODBICIA DLA ŚCIAN

Nr	ściana 1	ściana 2	ściana 3	ściana 4	dach
1	1.0000	1.0000	1.0000	1.0000	1.0000
2	1.0000	1.0000	1.0000	1.0000	1.0000
3	1.0000	1.0000	1.0000	1.0000	1.0000
4	1.0000	1.0000	1.0000	1.0000	1.0000
5	1.0000	1.0000	1.0000	1.0000	1.0000
6	1.0000	1.0000	1.0000	1.0000	1.0000
7	1.0000	1.0000	1.0000	1.0000	1.0000
8	1.0000	1.0000	1.0000	1.0000	1.0000
9	1.0000	1.0000	1.0000	1.0000	1.0000
10	1.0000	1.0000	1.0000	1.0000	1.0000
11	1.0000	1.0000	1.0000	1.0000	1.0000
12	1.0000	1.0000	1.0000	1.0000	1.0000
13	1.0000	1.0000	1.0000	1.0000	1.0000