

H4

Dane do obliczeń : Ferma drobiu Nowe Mosty 1 - pora nocy

Źródła punktowe

Nr	X[m]	Y[m]	z[m]	Pma	Symbol
1	390.0	351.8	1.0	82.2	EP43
2	383.8	415.2	1.0	82.2	EP44
3	379.6	469.3	1.0	82.2	EP45
4	400.4	519.2	1.0	74.0	EP46
5	409.8	514.0	1.0	84.0	EP47
6	408.7	521.3	1.0	81.2	EP48
7	410.4	476.6	7.5	83.0	E-1
8	442.3	478.8	7.5	83.0	E-2
9	481.9	480.5	7.5	83.0	E-3
10	513.8	482.6	7.5	83.0	E-4
11	398.2	475.2	7.5	88.0	E-5
12	426.5	477.8	7.5	90.0	E-6
13	453.8	479.5	7.5	88.0	E-7
14	469.9	480.2	7.5	88.0	E-8
15	498.0	481.7	7.5	90.0	E-9
16	525.6	483.6	7.5	88.0	E-10
17	434.2	524.2	7.5	83.0	E-15
18	465.8	526.6	7.5	83.0	E-16
19	505.6	528.2	7.5	83.0	E-17
20	537.4	530.4	7.5	83.0	E-18
21	421.4	522.9	7.5	88.0	E-19
22	450.1	525.6	7.5	90.0	E-20
23	477.6	527.0	7.5	88.0	E-21
24	493.9	528.0	7.5	88.0	E-22
25	521.6	529.0	7.5	90.0	E-23
26	549.1	531.4	7.5	88.0	E-24
27	458.6	572.6	7.5	83.0	E-29
28	490.2	574.4	7.5	83.0	E-30
29	529.8	576.5	7.5	83.0	E-31
30	561.6	578.4	7.5	83.0	E-32
31	445.8	571.0	7.5	88.0	E-33
32	474.2	573.4	7.5	90.0	E-34
33	501.9	575.0	7.5	88.0	E-35
34	517.9	575.8	7.5	88.0	E-36
35	545.9	577.1	7.5	90.0	E-37
36	573.4	579.4	7.5	88.0	E-38
37	476.6	619.8	7.5	83.0	E-43
38	508.3	621.6	7.5	83.0	E-44
39	548.2	623.5	7.5	83.0	E-45
40	580.0	625.8	7.5	83.0	E-46
41	464.3	618.4	7.5	88.0	E-47
42	492.5	620.8	7.5	90.0	E-48
43	520.2	622.2	7.5	88.0	E-49
44	536.2	623.4	7.5	88.0	E-50
45	564.0	624.3	7.5	90.0	E-51
46	591.2	626.7	7.5	88.0	E-52
47	473.6	665.6	7.5	83.0	E-57

48	505.4	667.5	7.5	83.0	E-58
49	544.8	669.3	7.5	83.0	E-59
50	577.0	671.7	7.5	83.0	E-60
51	461.6	664.2	7.5	88.0	E-61
52	489.4	666.4	7.5	90.0	E-62
53	517.4	668.2	7.5	88.0	E-63
54	533.0	669.1	7.5	88.0	E-64
55	561.3	670.1	7.5	90.0	E-65
56	589.0	672.3	7.5	88.0	E-66
57	456.2	710.2	7.5	83.0	E-71
58	488.2	712.3	7.5	83.0	E-72
59	527.8	714.1	7.5	83.0	E-73
60	559.7	716.0	7.5	83.0	E-74
61	444.5	708.5	7.5	88.0	E-75
62	472.3	711.2	7.5	90.0	E-76
63	500.3	713.0	7.5	88.0	E-77
64	516.2	713.8	7.5	88.0	E-78
65	543.8	715.0	7.5	90.0	E-79
66	572.0	717.1	7.5	88.0	E-80
67	440.2	755.5	7.5	83.0	E-85
68	472.0	757.8	7.5	83.0	E-86
69	511.5	759.4	7.5	83.0	E-87
70	543.5	761.4	7.5	83.0	E-88
71	427.8	753.8	7.5	88.0	E-89
72	456.0	756.5	7.5	90.0	E-90
73	483.5	757.9	7.5	88.0	E-91
74	499.5	759.2	7.5	88.0	E-92
75	527.5	760.3	7.5	90.0	E-93
76	555.5	762.2	7.5	88.0	E-94
77	422.9	800.5	7.5	83.0	E-99
78	454.9	802.2	7.5	83.0	E-100
79	494.6	804.2	7.5	83.0	E-101
80	526.4	806.1	7.5	83.0	E-102
81	410.9	799.0	7.5	88.0	E-103
82	439.0	801.3	7.5	90.0	E-104
83	466.7	803.0	7.5	88.0	E-105
84	482.2	803.8	7.5	88.0	E-106
85	510.4	805.1	7.5	90.0	E-107
86	538.2	807.4	7.5	88.0	E-108
87	406.4	845.4	7.5	83.0	E-113
88	438.2	847.4	7.5	83.0	E-114
89	477.6	849.1	7.5	83.0	E-115
90	509.6	851.2	7.5	83.0	E-116
91	393.9	844.3	7.5	88.0	E-117
92	422.4	846.4	7.5	90.0	E-118
93	449.9	848.0	7.5	88.0	E-119
94	465.6	849.1	7.5	88.0	E-120
95	493.9	850.2	7.5	90.0	E-121
96	521.6	852.3	7.5	88.0	E-122
97	389.6	889.9	7.5	83.0	E-127
98	421.3	891.8	7.5	83.0	E-128
99	461.1	893.6	7.5	83.0	E-129
100	493.0	895.8	7.5	83.0	E-130
101	377.4	888.5	7.5	88.0	E-131

102	405.4	891.0	7.5	90.0	E-132
103	433.1	892.2	7.5	88.0	E-133
104	449.1	893.6	7.5	88.0	E-134
105	477.1	894.9	7.5	90.0	E-135
106	504.8	896.6	7.5	88.0	E-136
107	372.6	935.2	7.5	83.0	E-141
108	404.8	937.0	7.5	83.0	E-142
109	444.2	939.0	7.5	83.0	E-143
110	476.0	941.0	7.5	83.0	E-144
111	360.5	933.8	7.5	88.0	E-145
112	388.6	936.3	7.5	90.0	E-146
113	416.3	937.4	7.5	88.0	E-147
114	432.3	938.6	7.5	88.0	E-148
115	460.3	939.7	7.5	90.0	E-149
116	487.5	942.1	7.5	88.0	E-150
117	356.0	979.8	7.5	83.0	E-155
118	387.5	981.9	7.5	83.0	E-156
119	427.2	983.5	7.5	83.0	E-157
120	459.2	985.6	7.5	83.0	E-158
121	343.2	978.4	7.5	88.0	E-159
122	371.8	981.0	7.5	90.0	E-160
123	399.2	982.2	7.5	88.0	E-161
124	415.0	983.2	7.5	88.0	E-162
125	443.2	984.5	7.5	90.0	E-163
126	470.7	986.9	7.5	88.0	E-164

=====

Źródła typu hala produkcyjna :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

Nr	X1[m]	Y1[m]	X2[m]	Y2[m]	X3[m]	Y3[m]	X4[m]	Y4[m]	h0[m]	h[m]
1	389.9	485.3	533.3	495.4	535.0	474.2	391.0	464.2	0.0	6.8
2	413.4	532.8	557.1	543.0	558.6	521.4	414.9	511.5	0.0	6.8
3	437.8	580.6	581.1	590.7	582.7	569.8	439.2	559.7	0.0	6.8
4	455.8	628.3	599.5	638.4	601.0	617.0	457.1	606.9	0.0	6.8
5	452.8	673.9	596.3	684.0	598.1	662.9	454.1	653.0	0.0	6.8
6	436.0	718.6	579.4	729.0	580.8	707.4	437.4	697.3	0.0	6.8
7	419.5	763.8	562.9	773.9	564.2	752.6	420.8	742.6	0.0	6.8
8	402.4	808.6	546.1	818.7	547.5	797.6	403.8	787.5	0.0	6.8
9	386.1	853.6	529.0	863.8	530.7	842.4	387.2	832.6	0.0	6.8
10	369.0	898.6	512.3	908.5	513.9	887.4	370.6	877.1	0.0	6.8
11	352.2	943.4	495.7	953.4	497.4	932.2	353.4	922.4	0.0	6.8
12	335.2	988.5	478.9	998.1	480.2	977.0	336.5	966.9	0.0	6.8
13	341.5	899.8	343.0	895.2	344.6	895.7	343.2	900.0	0.0	2.5
14	427.2	609.6	424.3	604.8	426.0	603.8	428.9	608.9	0.0	2.5

=====

POZIOMY HAŁASU i IZOLACYJNOŚĆ PRZEGRÓD

Nr źródła	A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
1 sc.1 L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.2 L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====  
 Nr źródła                    A    63    125    250    500    1000    2000    4000    8000    wsp.odb.  
 =====

2	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====  
 Nr źródła                    A    63    125    250    500    1000    2000    4000    8000    wsp.odb.  
 =====

3	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====  
 Nr źródła                    A    63    125    250    500    1000    2000    4000    8000    wsp.odb.  
 =====

4	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====  
 Nr źródła                    A    63    125    250    500    1000    2000    4000    8000    wsp.odb.  
 =====

5	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
	R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
6	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
7	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
8	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

=====											
Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odb.
=====											
9	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000	
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
=====												
	Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
=====												
10	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====												
	Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
=====												
11	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====												
	Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
=====												
12	sc.1	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	27.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
=====												
	Nr źródła		A	63	125	250	500	1000	2000	4000	8000	wsp.odB.
=====												
13	sc.1	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.2	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.3	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	sc.4	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R sc	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	dach	L wew	97.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0000
		R d	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

```

=====
Nr źródła          A   63   125   250   500   1000   2000   4000   8000   wsp.oddb.
=====
14  sc.1  L  wew  97.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   1.0000
      R  sc   25.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0
      sc.2  L  wew  97.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   1.0000
      R  sc   25.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0
      sc.3  L  wew  97.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   1.0000
      R  sc   25.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0
      sc.4  L  wew  97.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   1.0000
      R  sc   25.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0
      dach  L  wew  97.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   1.0000
      R  d    25.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0   0.0
=====
    
```

Ekranry akustyczne :

WSPÓŁRZĘDNE WIERZCHOŁKÓW :

```

Nr   X1[m]  Y1[m]  X2[m]  Y2[m]  X3[m]  Y3[m]  X4[m]  Y4[m]  h0[m]  h[m]
=====
1   387.4  444.0  390.2  408.2  399.8  408.5  397.6  445.0  0.0   5.0
2   389.8  485.4  390.6  476.3  385.0  476.2  384.6  484.8  0.0   3.5
3   413.6  532.8  414.2  524.0  409.0  523.8  408.5  532.6  0.0   3.5
4   437.6  580.8  438.4  572.0  433.0  571.7  432.2  580.3  0.0   3.5
5   455.8  628.3  456.3  619.2  451.2  618.9  450.9  627.8  0.0   3.5
6   447.8  673.8  452.8  673.9  453.3  665.1  448.0  664.6  0.0   3.5
7   436.2  718.6  436.3  709.9  431.2  709.6  430.9  718.2  0.0   3.5
8   419.4  763.8  420.0  755.2  414.7  754.6  414.4  763.2  0.0   3.5
9   402.6  808.6  403.0  799.8  397.8  799.4  397.1  808.3  0.0   3.5
10  386.2  854.1  386.6  845.0  381.0  844.6  380.8  853.6  0.0   3.5
11  369.0  898.4  369.4  889.4  364.2  889.4  364.0  898.1  0.0   3.5
12  352.0  943.5  352.6  934.4  347.4  934.1  346.9  942.9  0.0   3.5
13  334.9  988.3  335.7  979.0  330.6  979.2  330.1  988.0  0.0   3.5
=====
    
```

WSPÓŁCZYNNIKI ODBICIA DLA ŚCIAN

```

Nr   ściana 1  ściana 2  ściana 3  ściana 4  dach
=====
1   1.0000   1.0000   1.0000   1.0000   1.0000
2   1.0000   1.0000   1.0000   1.0000   1.0000
3   1.0000   1.0000   1.0000   1.0000   1.0000
4   1.0000   1.0000   1.0000   1.0000   1.0000
5   1.0000   1.0000   1.0000   1.0000   1.0000
6   1.0000   1.0000   1.0000   1.0000   1.0000
7   1.0000   1.0000   1.0000   1.0000   1.0000
8   1.0000   1.0000   1.0000   1.0000   1.0000
9   1.0000   1.0000   1.0000   1.0000   1.0000
10  1.0000   1.0000   1.0000   1.0000   1.0000
11  1.0000   1.0000   1.0000   1.0000   1.0000
12  1.0000   1.0000   1.0000   1.0000   1.0000
13  1.0000   1.0000   1.0000   1.0000   1.0000
=====
    
```